CAMPAIGN



Our most popular boating products are now offered at special campaign pricing

MARITIM

CAMPAIGN



MARITIM

9532006416

LIFESAVER LS 101 LIFEBUOY

self-inflating

suitable for all boat types

139,

MARINEPOOL 9557202103

"MAN OVERBOARD" RESCUE SYSTEM

- easy to attach
- floating rope, 40 m
- 48 x 43 x 12 cm
- weight approx. 2,5 kg

65,

TREM

9517010018

LED SIGNAL LIGHT FOR LIFEBUOY

Solas- ja EU -approved

 powered by four 1,5 V alkaline batteries (not included)

2490



MARINEPOOL SURVIVOR

AUTOMATIC INFLATION LIFEJACKET 165N

- quick latch and HR Alpha trigger mechanism
- >40 kg 33 g CO₂-cylinder

ISO 12402, color black



9557202541

9557202587

65,

SPARE CYLINDERS KITS

KITSHalkey Roberts, HR 33 g

Alpha & Euro inflator

• cylinder, fuse and security tab

2490



MARINEPOOL AERO PLUS AUTOMATIC INFLATION LIFEJACKET 165N

- UML Pro trigger with inspection window
- quick lock
- crotch strap

Grey. 9557202590. White. 9557202592.



99,

9557202544

SPARE

CYLINDERS KITS

UML ProSensor + 33 g CO₂-cylinder







CREWSAVER CREWFIT JUNIOR AUTOMATIC INFLATION **LIFEJACKET 150N**

- chin support
- for children 20 50 kg
- crotch strap, metal buckle trigger/inspection window 9557201040

Blue. 9557201042.





9557201030

CREWSAVER CREWFIT SPORT **AUTOMATIC**

INFLATION LIFEJACKET 165N

- a float to keep the head up
- 3D ergonomic design, safety harness
- United-Moulders trigger mechanism, ISO 12402







9557201022



CREWSAVER CREWFIT PRO AUTOMATIC **AUTOMATIC INFLATION** LIFEJACKET 180N

- 3D ergonomic design, safety harness
- light, crotch strap and indicator window
- United-Moulders-Pro-Sensor Automatic, ISO 12402





CREWSAVER ATACAMA PRO

PRO DRY SUIT

- breathable and waterproof
- Cordura enforcements
- includes Stratum fleece thermal undersuit

Junior (J5), 9557201300. 9557201302. S. M. 9557201304.

9557201306. XL. 9557201308. XXL. 9557201310.

CREWSAVER SAILING GLOVES

enforced on palm side well gripping patterning

J4. 9557201150. M. 9557201154. J5. 9557201151. L. 9557201155. 9557201152. XL. XS. 9557201156. 9557201153. XXL. 9557201157.

/pc

CREWSAVER

SPARE CYLINDERS KITS

Junior CrewFit 150N. 23 q. 9557201109. **36,-**

CrewFit 165N, UML, 33 q. 9557201104. **34,-**

Crewfit 180N, 38 q. 9557201102. **38,-**



9517014015

CREWSAVER **CREWLIFT 40 BOSUNS CHAIR**

 with adjustable safety belt and removable tool pouch









MPAIGN





WICHARD FOLDING KNIFES FOR BOATERS







WICHARD AQUATERRA 10136

- lightweight and corrosion resistant
- for all boaters and fishermen
- includes carving blade
- blue white color



WICHARD AQUATERRA 10153

- ergonomically shaped knife with corkscrew and multiuse blade
- black white color

9519034052. 27,50

WICHARD OFFSHORE 10122 saw blade edged knife for

- the active sailor
- practical and easy to use
- opens with one hand grip
- lightweight knife has an adjustable wrist wrap and combined shackle opener and marlin spike
- fluorized handle glows in dark

9519034045. 36,-





- first aid guide booklet
- 1 pc large bandage
- 1 pc small bandage
- 1 pc burn gel burn bandage 10 x 10 cm
- 1 pc elastic band 8 cm x 4 m
- 10 pcs plasters
- 4 pcs maxi cover plasters
- 6 pcs wound cushion
- 1 pc resuscitation mask
- 2 pairs protective gloves
- 2 pcs hand desinfection swipes
- 1 pc rescue cover
- 1 pc scissors

CEDERROTH M

FIRST AID KIT

- outer casing of the pack repeals stains and humidity
- accessories remain hygienic and are always ready for use
- width 230 x depth 78 x height 190 mm
- weight approx. 600 g.









FELLMARINE MOB+

WIRELESS SAFE-TY SWITCH

- the system consists of xFOB transmitters and an xHUB
- if a passenger falls overboard in the course of transit, xHUB alerts and turns off the engine
- xHUB is connected to the boat's battery system (12 -24 V) and the engine stop system
- xFOB has a battery life of over 300 hours
- · easy system operation





9514601504







1852

9518035038

EMERGENCY PLUG KIT

- kit includes three plugs:
 2 10 mm, 5 22 mm
 and 13 42 mm
- suitable for plugging feedthroughs and unevenly shaped holes





1852

9515002002

BAILER

- robust handle
- width 15 cm, depth 17 cm, total height 12,5 cm



290







20 20 CAMPAIGN

REOLINK SECURITY CAMERAS FOR HOME AND MOBILE USE

Reolink cameras are extremely easy and quick to commission. Models with rechargeable batteries can work for months without recharging. The optional solar panel keeps the batteries charged without mains power.



GO

REOLINK GO WIRELESS 3G/4G

UUTUUS NEW NYHET

9514004290

SECURITY CAMERA

- weatherproof (IP65)
- SIM card slot and rechargeable battery

MARITIM

- operates on a 7800 mAh battery for weeks, even months
- infrared lights for night vision to the distance of up to 10 m
- · easy to install anywhere
- motion detector activation triggers alerts to smartphone or e-mail
- 1080p Full HD video recording with audio to a memory card or cloud service



reølink

REOLINK ARGUS 2 UUTUUS NEW NYHET 9514004292

WIFI SECURITY CAMERA

- · weather-resistant security camera
- rechargeable lithium battery
- motion detection and automatic motion recording
- live viewing via phone or tablet, 1080p Full HD image quality
- night vision up to 10 metres, 130 degree viewing angle
- two-way audio
- push alerts for motion detection and battery condition
- motion detection images in e-mail attachments



reelink





REOLINK SOLAR PANEL

SOLAR PANEL

- keeps the batteries charged without mains power
- compatible with Reolink Go, Argus2, Argus Eco and Argus PT cameras



reelink

9514004294

STAZO SMARTLOCK

OUTBOARD ENGINE LOCK



- VAT approved
- for outboard engines with wing nut fixing

 body parts of the lock which go within each other are made of stainless steel by casting



- robust and safe
- weight 1,3 kg
- easy to install, does not require special tools nor additional parts



119,



9516002070

STAZO NUTLOCK BOLT LOCK

- VAT approved Statzo Nutlock bolt lock for outboard engines with bolt fixing
- cast made stainless steel body has German Abus Plus safety lock
- lock nut is protected by a 2 22 mm thick lock body (for 12 mm fixing bolt)







ROBLINE

LOCKING WIRE



- extremely strong 9 mm stainless steel cable, withstands bolt cutters
- outer surface covered with durable UV protected polyester sheath
- pleasant to handle, does not rattle and will not scratch surfaces
- both ends have extra strong loops with special crimp

1 m. 9518137001. **24,90** 3 m. 9518137003. **45,-** 5 m. 9518137005. **66,-**





9516032060

RF-360

PAD LOCK

- SBSC Class 3
 certified pad lock
- all parts made of stainless steel
 - 12 mm shank
 - supplied with three keys








1852 **BLACK**

MOORING LINE WITH LOOP





- other end has a spliced loop
- floats, 3-plaited soft mooring line
- made of XLF fiber which does not suck water
- loop 250 mm

Ø 10 mm 6 m. 9518156040. **9,90** Ø 10 mm 10 m. 9518156042. 11,90

Ø 12 mm 6 m. 9518156044. 10,90





1852 **ANCHOR**

LINE WITH THIMBLE

35 m, Ø 12 mm. White. 9518156260. 42,-Anthracite. 9518156360. 42,-

35 m, Ø 14 mm. White. 9518156262. 52,-Anthracite. 9518156362. 52,-

35 m. Ø 16 mm. White. 9518156264. 75,-Anthracite. 9518156364. 75,-





1852 MOORING **LINE WITH** LOOP



Ø 10 mm, 6 m.

White. 9518156220. 9,90 Anthracite. 9518156320. 9,90

Ø 10 mm, 10 m.

9518156222. White. 11,90 Anthracite. 9518156322. 11,90

Ø 12 mm, 6 m.

White. 9518156224. 10,90 Anthracite. 9518156324. 10,90

Ø 12 mm, 10 m.

White. 9518156226. 17,90 Anthracite. 9518156326. 17,90





1852

MOORING LINE WITH



9518156240. 12,90 White. Anthracite. 9518156340. 12,90

Ø 10 mm, 10 m.

White. 9518156242. 16,90 Anthracite. 9518156342. 16,90

Ø 12 mm, 6 m.

White. 9518156244. 14,90 Anthracite. 9518156344. 14,90

Ø 12 mm, 10 m.

White. 9518156246. 19,90 Anthracite. 9518156346. 19,90



ROBLINE

BLACK MOORING LINE SET

- mooring rope set packed in a bucket
- black twined line, other end spliced
- lightweight stylish solution, withstands wear and **UV-radiation**

4 pcs x 6 m 2 pcs x 10 m

loop 350 mm







9513055037

1852 **ANCHOR LINE** RFFI



LINE LENGTH 32 M. WIDTH 25 MM

- easy installation on rail Ø 22 - 30 mm
- breaking strength 2000 kg
- diameter with line guide 320 mm, without line guide 290 mm

79.-

9513055039

LINE LENGTH 50 M. WIDTH 35 MM

- diameter without line guide 380 mm
- easy installation on rail Ø 22 - 30 mm

125,-







U-CLEAT MOORING **SPRING**

- unique locking mechanism
- safe and flexible mounting
- resistant to sea water, ozone and variations in weather conditions 9513014044. 55,-

Ø 10-12 mm. 329 mm. 9513014040. 28.90

Ø 12-16 mm, 416 mm 9513014042. **36.-**

Ø 14-18 mm. 520 mm

(U) U-CLEAT

ROBLINE LINE **PROTECTOR**

- strong woven Cordura
- especially for spliced loops
- length 50 cm



9518015032. **3,-**9518015034. **3.-**

Robline

9518015036. **3,-**9518015038. **4,-**



ROBLINE MINI LINE REEL "FLAG LINE"

- multipurpose
- 8-plaited, floating XLF fibre

Ø 1 mm, length 50 m, daN 25. 9518153001. 8,50

Ø 2 mm, length 40 m, daN 50. 9518153002. **6.50**

Ø 3 mm, length 15 m, daN 100. 9518153003. **4,50**

Ø4 mm, length 10 m, daN 200. 9518153004. **4,50**



Robline





POLYFORM DOCK FENDER

- protects small and medium-sized boats, kayaks and jet skis against mooring damages
- UV-protected, highly durable PVC plastic
- length 940, height 85 and depth 44 mm, 2 pcs/pack

White. 9513054032. Grey. 9513054036.







1852 FLAT FENDERLINE

- better grip as compared to traditional lines
- excellent holding power also on wire rails
- a spliced 40 mm loop at the other end
- Ø 8 mm, lenght 2 m
- 2 pcs/pack

Navy. 9517159374. Black. 9517159376. Grey. 9517159377.





POLYFORM FENDER, AIR FILLED

UV protected and durable PVC plastic
 WHITE

F01S 130 x 370 mm. 9513054045. **9,50**

F01M 130 x 465 mm. 9513054050. **11,90**

F01L 130 x 560 mm. 9513054028. **13,90**



WHITE, BLACK ENDS F01S 130 x 370 mm. 9513054046. **9,50**

F01M 130 x 465 mm. 9513054052. **11,90**

F01L 130 x 560 mm. 9513054027. **13,90**



BLACK F01S 130 x 370 mm. 9513054062. **9,50**

F01M 130 x 465 mm. 9513054063. **11,90** F01L 130 x 560 mm. 9513054064. **13,90**

950

WHITE, BLUE ENDS F1 150 x 610 mm. 9513054017. **25,90**

F2 220 x 610 mm. 9513054011. **37,-**



BLUE F1 150 x 610 mm. 9513054019. **25,90**

F2 220 x 610 mm. 9513054010. **37,-**

2590















HANDY DOCK

TELESCOPIC BOAT HOOK

- lightweight, incredibly strong and completely insensitive to salt water
- easy to hook onto a dock ring, release by turning the pole
- the pole lock is easy to open and close

95/165 cm. 9513027160. **36,**-110/200 cm. 9513027162. **40,**-





HANDY DOCK

MOORING HOOK

- for all kinds of docking
- conveniently attachable to a boat hook for easy catching of a buoy ring

Big. 9513027152. **44,-**Small. 9513027150. **35,-**





9513027154

HANDY DOCK

REMOVAL HOOK

- inside diameter 25 mm
- mounting on any aluminium pole or the like
- attached to aluminium pole by two rivets







HANDY DOCK **SLING**

15,



9513027156

POLYFORM

MARKER BUOY

• length 200 mm, Ø 150 mm

- line max. 10/12 mm
- carrying capacity 2,3 kg

790



POLYFORM

9513052023

9513053022

BUOY

- complete (buoy + pole)
- length 1195 mm, Ø 450 mm
- line 19 mm
- carrying capacity 31 kg

119,



POLYFORM

9513052050

BUOY

- lift 13,5 kg (recom. 7,5 kg)
- pole Ø 16 mm,
- total length 890 mm
- buoy Ø 285 mm

69,



BUOY CHAIN

- hot-galvanised long looped
- included 2 pcs 10 mm lyra schackels

8 mm, 5 m. 9518017280. **32,**-8 mm, 10 m. 9518017282. **62,**-

32;



9513051125

BUOY WEIGHT

- 25 kg
- galvanised, made of steel
- inner Ø 52 cm, outer Ø 65 cm
- height 30 cm

125,







CAMPAIGN



Suitable for Bonifacio Winch leaded line (9518136514).

Bonifacio leaded line is sold separately:

14 mm. 50 m. 9518136514. **349,-**

16 mm. 50 m. 9518136516. **399,-**

LEWMAR S2000 GEN2

STERN WINDLASS

- single gypsy allowing for 12-16 mm leaded line
- the price includes a capstan, solenoid, fuse, and rocker switch
- Bonifacio leaded line at extra price
- for boats up to 48 feet
- 1000 W, 12 V, max. 910 kg



- 2. upgraded Pro-Fish Gen2 free-fall
- 3. factory-made lead-through/installation bracket
- 4. IP67 protected 1000 W motor



9512408219

3.

1.

Port. 9512408886. Starboard. 9512408887.

LEWMAR

LEWMAR 140TT

BOW THRUSTER KIT

- for 6 10 m boats
- 2 kW, 12 V, weight 13 kg, thrust 38 kgf
- includes bow thruster Ø 140 mm, joystick control unit, 7 m cable, fuse holder and fuse



899,

Ø 140 mm tube must be ordered separately:

140 x 5 x 750. 9512408122. **155,**-140 x 5 x 1000. 9512408123. **190,**-

LEWMAR

BOW THRUSTERS

 5-blade propeller for a balanced thrust in both tunnel directions

quick and easy installationintegrated "black box"

protects against operating errors

12 V

185TT. 3,0 kW. Tv. 58 kg. 9512408254. **1599,-**

185TT. 4,0 kW. Tv. 65 kg. 9512408258



1599,

DRAG ANCHOR

- galvanized
- foldable blades
- with shackle

3,5 kg. Total length 450 mm. 9513049004. **19,90**

5,5 kg. Total length 500 mm. 9513049005. **31,-**

7,5 kg. Total length 570 mm. 9513049006. **42,-**



HKG-ANCHOR



5 kg. 9<u>5130</u>48052. **29,90**

7,5 kg. 9513048054. **44,-**

10 kg. 9513048056. **58,-**



M-ANCHOR

 stainless steel, AISI316, cast made, surface polished



7,5 kg. 9513048042. **249,-**

10 kg. 9513048044. **325,-**

15 kg. 9513048046. **525,-**

249,



ALUMINIUM PROPELLERS

- expertly designed and durable
- material of the propellers is high quality aluminium alloy



	Motor Yamaha	Нр	DII				1
	Yamaha			Size Ø/pitch	Original part nro	Maritim	
	Tarriaria	9,9 - 20HP	3	9 1/4 x 9	63V-45945-10-EL	9513780803	69,-
- 1	Yamaha	20, 25, 30,	3	9-7/8	664-45947-01-EL	9513780802	69,-
		F25		x 11-1/4 F			
	Yamaha	20-30HP	3	97/8×101/2F	664-45945-00-EL	9513780805	69,-
	Yamaha	25-60HP	3				
r		F30, F40		11-3/8 x 12 G	663-45952-02-EL	9513780804	89,-
	Yamaha	25-60HP	3				
		F30, F40		11-1/2 x 13 G	663-45974-02-98	9513780806	89,-
	Yamaha	50-130HP	3				
		T50, 60(92-)					
		F80, F100,		13-1/2 x 15 K	6E5-45947-00-EL	9513780808	109,-
		F115					
	Yamaha	50-130HP	3				
		T50, 60(92-)					
		F80, F100,		13 x 17 K	688-45930-02-98	9513780812	109,-
		F115					
	Yamaha	50-130HP	3				
		T50, 60(92-)					
		F80, F100,		13 x 19 K	6E5-45941-00-EL	9513780810	109,-
		F115					
,	Yamaha	25-60HP	3	10 3/8 x 13	10-10048-13	9513780826	89,-
	Honda	8-20HP	3	9 1/4 x 9	58130-ZV4-009AH	9513780807	69,-
	Honda	15-60HP	3	11 1/4 x 14	58130-ZV5-014AH	9513780809	89,-
	Honda	35-60HP	3	11-3/8 x 12	58130-ZV5-012AH	9513780814	89,-
	Honda	35-60HP	3	11-1/4 x 13	58130-ZV5-000ZA	9513780816	89,-
	Honda	75-130HP	3	13-1/4 x 17	58134-ZW1-017AH	9513780818	115,-
4	Honda	75-130HP	3	13 x 19	58130-ZW1-019AH		115,-
	Mercury	6-15HP	3	9 x 9	48-828156A12	9513780811	69,-
	Mercury	25-70HP	3	10 3/8 x 13	48-73136A40	9513780813	89,-
	Mercury	25-70HP	3				
		13 tooth		11 x 12	48-855856A5	9513780822	95,-
		spline					
	Suzuki	8-20HP	3	9 1/4 x 9	58100-94J00-019	9513780815	69,-
- 1	Suzuki	35-65HP	3	11 1/8 x 13	_	9513780817	89,-
	Suzuki	35-65HP	3				
		13 tooth		11-1/2 x 13	58100-94313-019	9513780824	89,-
		spline					<u> </u>
	Evinrude	40-140HP	3	13 x 17	176214	9513780819	89,-





TECNOSEAL ENGINE ANODE KITS

AMPAIGN





TECNOSEAL VOLVO PENTA

280. 9512130110. **41.-**290. 9512130112. 33,-SXA/DPSA. 9512130113. 41,-9512130114. 29.90 DuoDrop 280. DuoDrop 290. 9512130116. 29,90 DPH/DPR. 9512130119. 29,90



®TECNOSEAL

TECNOSEAL YAMAHA



Kit 40-60. 9512130130. 43,-Kit 60-90 9512130132. 29,90 Kit 2T 40-50. 9512130134. 69,-Kit 4T 80-100. 9512130136. **50,-**



®TECNOSEAL







69,-

® TECNOSEAL

Alpha One 2 GE. 9512130100 Alpha One gen. 2. 9512130101. Bravo I.

TECNOSEAL MERCRUISER

41,-65,-9512130102. 51,-Bravo II. 9512130104. Bravo III. 9512130106. 75,-

TECNOSEAL MERCURY

Kit F30-F60. 9512130108. 44.-Kit F75-F115. 9512130109.



MITECNOSE AL

TECNOSEAL SUZUKI

Kit 40-50. Kit 90-140.

9512130140. 59,-9512130142. 49.-



TECNOSEAL HONDA

Honda kit BF 75-130. 9512130120.


Honda kit BF 40-50. 9512130122.







55,-**OTECNOSEAL**

IMPELLERS FROM MARITIM FOR ALL ENGINES







JOHNSON PUMP

10.

1890

> Johnson Pump^o

Impelle	er	Pumppu	Replaces Jabscon nro	Outer-Ø U/mm	Inner-Ø A/mm	Length S/mm	Maritim			
1.	F4	09-1026B-1	673-0001	50,8	12,7	22	9515005600	24,90		
2.	F5	09-1027B-1	1210-0001	57,1	splines	31,5	9515005604	33,-		
3.	F7	09-1028BT-1*	17937-0001	65,0	splines	50,2	9515005608	40,-		
4.	TA3P10	09-1052S-9	-	45,2	8,0/flat	12,8	9515005612	21,90		
5.	F2	09-1077B-9	-	35,2	8,0/flat	12,7	9515005616	24,90		
6.	F5	09-801B	4568-0001	57,1	15,9/key	31,5	9515005620	36,-		
7.	F35	09-806B-1	4528-0001	40,0	9,5	19,0	9515005624	19,90		
8.	F35	09-808B-1	22405-0001	40	12,0	19,0	9515005628	18,90		
9.	F4	09-810B-1	18653-0001	50,8	12,0	22,0	9515005632	24,90		
10.	F8	09-819B-9	17935-0003	95,0	splines	63,0	9515005634	69,-		
11.	F4	09-824P-9	6303-0003	50,8	8,0/flat	22,0	9515005636	24,90		
*BT-1 replaces B										



MARINVENT **PEDESTAL SET FOR** FISHER'S **SEAT**



9516029220

MARINVENT **SEAT**

fixed and robust

durable vinyl designed for boating applications

high quality foam paddina



9516029256

MARINVFNT ESM **PEDESTAL**

- with slide rails
- upper part revolved freely 360 degrees
- adjustable height 435 - 635 mm





9519040702

LENCO

9" X 12" 12 V NS

TRIM PLATE KIT boat length 16 - 25 feet

includes e.g.: 2 pcs trim plates, 2 pcs cylinders, 2 pcs working cylinder upper fixing bracket, 2 pcs working cylinder lower fixing bracket






Switch panel must be ordered separately 9519040432

MENTE MARINE ACS R

AUTOMATIC TRIM CONTROL PANEL ACS R



easy to install for both hydraulic and electromechanical trim tabs

Mente Marine

MARINVENT FISHER'S **SEAT**

grey





9516029214

1852

STEERING WHEEL

- Ø 360 mm
- depth 100 mm



1852

STEERING WHEEL WITH SPINNER

- Ø 360 mm
- depth 100 mm



1852



9513002050

WULTRAFLEXHYDRAULIC STEERING KITS

<115 HV

9513200001

 GOTECH-kit includes a forward installable "bulls horn" cylinder, hydraulic pump with built-in check valves, 6 mm hydraulic hoses and the required amount of oil
 4.5 retties for full cylinder.

4,5 rotations for full cylinder movement

 max. steering wheel diameter Ø 508 mm



<150 HV

 HYCO-OBF hydraulic steering system kit for outboard engines

 hydraulic pump and cylinder, 6 m hose kit, fittings easily attachable to free hose ends

 4,7 rotations for full cylinder movement



669,

<300 HV

- NAUTECH 3.1/ M-90 hydraulic steering kit for outboard engines
- includes 9 m hydraulic hoses, pressed connector at the other end
- 5,1 rotations for full cylinder movement



840,

FOURTECH-II CABLE STEERING SET

Package includes:

- T93ZT non-feedback steering helm
- X34 steering helm installation kit
- M-90 MACH steering cable

This patented friction brake prevents engine back torque from affecting the steering wheel. The low-friction control cable is flexible and suits even the more challenging steering solutions. The cable end on the engine side is rubber insulated to make it waterproof. Minimum bend radius is 150 mm.



9513025324. Fourtech - II package 10' 9513025325. Fourtech - II package 11' 9513025326. Fourtech - II package 12' 9513025327. Fourtech - II package 13' 9513025328. Fourtech - II package 14' 9513025329. Fourtech - II package 15'

249,



• includes steering helm T-67, steering cable M58 and steering wheel V32

8". 9513025168. 12". 9513025172. 9". 9513025169. 13". 9513025171. 10". 9513025170. 14". 9513025174. 11". 9513025171. 15". 9513025175.

155,

pkg







pacific 🖗

Fixed mount, diameter

64 mm, stainless steel,

5 m cable, 9514600795.

PACIFIC AERIALS PRO SERIES P6111

VHF-MOUNTING **BASE**

with swivel action





9514600790

pacific 🚳

9514600742

PACIFIC AERIALS PRO RANGE P6182

VHF-ANTENNA

1,0 m

- 156 -162 MHz
- 3 dBi
- suitable for stand 9514600790
- · FastFit quick attachment

pacific (m

MOUNTS FOR PRO RANGE ANTENNAS P6159 P6166

Fold-down mount with quick adjustment, stainless steel, 5 m cable. 9514600794.

pacific



PACIFIC AERIALS P6114

9514600789

AM/FM-ANTENNA **BASE**

mounting stand with swivel action, 5 m cable





9514600772

1852

ANTENNA KIT

TV/FM antenna

fixing bracket

• 10 m coaxial cable, 2 m connector cable for TV and antenna amplifier, mast/wall, rail, general purpose





9514600860

PACIFIC AERIALS PRO RANGE P6107

AM/FM-ANTENNA

• 0.45 m

suitable for stand 9514600789

FastFit quick attachment



LTC PROMARINE BT65

BLUETOOTH-SPEAKER 6,5"

- built-in amplifier
- Bluetooth
- bass 6,5", descant 1,7"
- 60-20 kHz (-6dB)
- 20 W/speaker
- Ø 175 m
- weight 750 g
- wireless signal range between mobile phone/ speaker 20 m
- compatible with older radios
- price/pair

Black. 9514600936. White. 9514600938.





LTC **PROMARINE 1111**

RADIO

- waterproof round
- · easy to install in place of an existing panel meter on dashboard
- 4 x 65 W MOSFET-amplifier
- Bluetooth
- USB
- AUX-input
- Ø 91 mm
- line output
- ISO-connector

White. 9514600912. 9514600916. Black.







UUTUUS **NEW NYHET**

SOUND HAS NEVER SOUNDED SO GOOD!



powerful magnet for excellent sound

the range includes models for all needs, incl. for locations where minimal installation depth is available

1852-speaker 80 W. 9514601090.

1852-speaker 120 W. 9514601092. 145,-

1852-speaker 200 W. 9514601094. 165.-









SCANSTRUT

SCANSTRUT ROKK **TABLET** INSTALLATION KIT

Fasten your electronics devices reliably to a boat, vehicle, kayak, ATV, etc. Installation by a single click.

1) Clamp

9514601216

9514601212





BASE

2) 360° ADJUSTABLE

B Surface mountable screwable

bracket

3) INSTALLATION

BRACKET A Suction cup

Suction cup bracket 109,-

Surface mountable

Adhesive bracket

C Adhesive bracket. 2-sided tape



ROKK WIRELESS ACTIVE CHARGING DOCK

- waterproof 12/24V wireless loading dock
- securely holds your phone
- perfect for boat consoles or any vehicle working outside in the elements
- compatible with wireless charging enabled phones
- safe and reliable charging

360° adjustable 360° adjustable 360° adjustable 9514601214



SCANSTRUT

9514601316

2) Body

SCANSTRUT

105.-9514601124

99,-

USB CHARGEPORT

- fast, 12/24 V waterproof
- dual sockets

easy to lock

3) Base

to bracket

width 29 mm, height 94 mm

SCANSTRUT

SCANSTRUT

9514601310

WIRELESS CHARGER

hidden installation

suitable for fibreglass and wood surfaces

SCANSTRUT

SCANSTRUT

9514601312

WIRELESS CHARGER

non-slip surface

suitable for fibreglass and wood surfaces

SCANSTRUT

SCANSTRUT

9514601314 WIRELESS CHARGER

non-slip base

drill a Ø 10 mm hole for cable and install the unit



SCANSTRUT

SIMARINE PICO ONE

12:35

PACKAGE

· for systems with

one auxiliary battery and up to 2 tanks a complete battery

one main battery,

and tank monitoring

solution for smaller

boats, yachts and

caravans



9514201028

UUTUUS

NYHET

NEW

COBRA MR F77

MARINE VHF-RADIO

- fixed installation
- equipped with built-in GPS antenna
- Class D DSC-technology
- IPX8 classification
- channel 16 quick select button
- local channels (L1 and L2)
- PA output scan and memory functions
- squelch function
- flush mounting kit and mounting cradle

White. 9537600224. Black. 9537600226.



SKYWATCH

speed,

water tight

(changeable)

quarantee 1 year

XPLORER XP-01

ANEMOMETER

fast indication of wind

operated on CR2032

type lithium battery

COBRA MR HH500 FLT BT EU

FLOATING MARINE VHF-RADIO

- Bluetooth
- IPX7 classification
- max. transmit power 6 W
- squelch function
- back-lit keaboard
- large display
- scan and memory functions
- channel 16 quick select
- pre-programmed local channels (L1 and L2)
- includes batteries and charging cradle

9537600204

TEST WINNER VENE-LEHTI 3/2018

+ 20 sec. audio recording and Bluetooth Batterv performance in cold conditions





9514021026

SKYWATCH'BL

9514011036

RITCHIE TREK

COMPASS

- for motor boats
- bracket mounting
- scale size 57 mm
- green night light 12 \



9514021050

RITCHIE **EXPLORER**

COMPASS

- for motor boats
- bracket mounting
- scale size 70 mm
- green night light 12 V





225,

&Cobra®

9514006054

1852 ADMIRAI

BINOCULARS 7 X 50

- BK-4- prism
- suitable for eye-glasses
- digital compass
- distance scale
- 21,3 x 8,5 x 16 cm, 1125 q
- automatic focusing







CAMPAIGN



NAVISAFE POLE & LIGHT PACK/763

NAVIGATION LIGHT SET

• for small boats, dinghies, canoes, kayaks and fishing boats

 contents: Navilight 360° 2 nm, 4-part arm, Navimount vertical model/950, storage bag made of neoprene

59,

9514034932



HELLA MARINE

M70 LED SEARCH LIGHT

 light output 2500 lm
 handle has pistol grip, with rocker switch and trigger switch

9 - 33 V, 30 W



Hella marine

9514039090

Deck mountable base 9514039083. **11,50**

1852 CREE LED

9514039092

LED-TORCHES 163 MM

- rubberized grip surface
- IP68, 280 lm, 3 light settings
- incl. rechargeable batteries and a charging cable

32,



1852 CREE LED

9514039093

LED-TORCHES 188 MM

- IP68, 500 lm, 3 light settings
- incl. rechargeable batteries and charging cable

45,



HELLA MARINE 6197 LED MODULE 70

SEARCHLIGHT

- 2500 lm/6500 K
- spotlight with 5°/clear glass or diffused light with 12°/raster glass
 - ĬP67, 9 33 V, 30 W
- dimensions 83 x 110 x 74 mm,
 Ø 83 mm

White, general purpose light. 9514038170. White, spotlight. 9514038172. Black, general purpose light. 9514038174. Black, spotlight. 9514038176.





HELLA MARINE SEA HAWK XLB

SEARCHLIGHT

- 2200 lm
- 25 W, 12 V, IP67
- operating voltage 9 33 V

Black, general purpose light 45°. 9514038180. White, general purpose light 45°. 9514038181. Black, spotlight 10°. 9514038184. White, spotlight 10°. 9514038185.

Mounting base for two lights. 9514038188. **45,-**







BÅTSYSTEM

9514024946

LED-BULB

- 94spool1
- 3200K
- 8 30 V. 0.7 W
- length 39 mm





BÅTSYSTEM **LED-CARD**

- 3200K
- 8 30 V



G4-base at the back. 94G4B. 9514024196. **7,90** 94G4B6. 9514024197. **7,20**

G4-base at the side. 94G4S. 9514024198. **7,50** 94G4S6. 9514024199. **7,20**

720



BÅTSYSTEM **LED-BULB**

- 15 SMD LED
- or bayonet based lights
- 3200K
- 8 30 V

0,7 W, BA15S-base. 9514024940. 0,7 W, BA15D-base. 9514024942.



/pc



BÅTSYSTEM

9514024930

LED-BULB 360°

- 3000K
- 8 30 V
- 2.4 W
- BAY15D-base





1852

LED-SPOT LIGHT

- 16 LED lights, warm white color
- 3000K, 0,2 W, 8 30 V
- stainless steel







9514051532

1852

LED SPOT LIGHT

- 12 LED lights, warm white color
 - 2900K, 0,2 W, 10 30 V
- chromed brass

39,





HELLA MARINE EUROLED 75

LED LIGHT FOR INDOOR OR OUTDOOR LIGHTING

- good luminosity (190 lm)
- colour temperature warm white or bright white
 Ø 75 mm; 24 mm thick
 12 V. 3 W
- waterproof IP67

broad area of lighting

2700 K, stainless frame. 9514035150. 2700 K, white frame. 9514035152. 5000 K, stainless frame. 9514035154. 5000 K, white frame. 9514035156.





9514034160

45,-

35.-

45,-

39.-

HELLA MARINE

LED MAP LIGHT

- white map light / red light
- flexible stainless gooseneck pipe, length 150 mm
- IP53, Multivolt 9-31 V







MARITIM

1852

9514051560 1852

LED LIGHT BAR

- with 30 white LED lights
- length 390 mm
- plastic iP65

1852

SURFACE MOUNT LED

LIGHT INSIDE/OUTSIDE

Ø 70,9 mm, IP67, 12 - 24 V

with 6 LED lights, daylight white

plastic body/AISI304 decorative ring

1852

9514051502

LED INTERIOR LIGHT

- with 16 daylight white LED lights
- 4000K, 12 V
- Ø 139 mm
- plastic body
 - rocker switch



9514051520

1852

9514051512

LED INTERIOR LIGHT

- · with 20 warm white LED lights
- IP65-splash water proof Ø 106,6 mm
- 12 V
- rocket switch

1852

LIGHT



9514051510

INE



9514051522

SURFACE MOUNT LED LIGHT INSIDE/OUTSIDE

- with 5 warm white LED lights
- Ø 94 mm, IP65, 12 V
- AISI304

MAR INE

• with push-button, night light can be switched off warm white LED light

LED INTERIOR



IP65-splash water proof



9514051546



1852

9514051524



SURFACE MOUNT LED LIGHT INSIDE/OUTSIDE

- with 9 warm white LED lights
- Ø 132 mm, IP65, 12 V
- AISI304



1852

FLUSHMOUNTABLE

DECK LIGHT

- 1 white LED light
- 0,2 W, 12 V
- 5500K
- installation hole 21,5 mm









1852


9514051540

SURFACE MOUNTED **DECK LIGHT**

- with 5 blue LED ligths
- stainless steel
- IP67, 12 V









1852

9514003066

USB CHARGING SOCKET PANEL MOUNT

- 3.1A/2x2.1A
- IP65
- 6 30 V





1852

9514003012

MAIN SWITCH

- 75A
- Ø 65 mm
- max. load 500A/5 sec.
- 12/24 V
- rubber protective hat





1852

9514003095

SWITCH/ DIMMER

- 12 30 V max. 18 W
- **IP68**
- linear dimming







NMEA 2000 BASIC KIT

- T-connector 2 pcs
- drop cable 2 m
- T-cable 2 m
- terminator, male
- terminator, female

in storage box

9514611003

Requires a suitable power cable. orderered separately.



BLUE SEA SYSTEMS

9514801050

SYSTEMS MAIN **SWITCH**

· may be installed either with flush mount or surface mount methods

- 72 x 72 mm
- ISO- ja CE, IP66
- ON-OFF, 300/500/775/1500A



BLUE SEA

9514801164 BLUE SEA SYSTEMS MINI ASR 65/115A

CHARGING RELAY, ACR 65A

- 12 24 V
- automatically combines separate battery packs into a single unit while charging
- IP67



BLUE SEA

BLUE SEA SYSTEMS ACR 120/210A

9514801168

CHARGING RELAY

- 12/24 V
- functions as above, but separates battery packs from each other



BLUE SEA



9514611005

PRO-KIT

- T-connector 2 pcs
- T-connector 2-way 2 pcs
- T-connector 4-way 2 pcs
- drop cable 2 m
- drop cable 5 m
- drop cable 10 m
- terminator, male
- terminator, female
- in storage box





NMEA 2000 CONNECTORS

T-ADAPTOR

9514611031. 19.90



MICRO TERMINATOR MALE

9514611015. **6,50**




T-ADAPTOR 2-WAY

9514611033. 29,90



FEMALE



9514611017. 6,50

T-ADAPTOR 4-WAY

INLINE



9514611035. **45,-**

T-CONNECTOR + CABLE.

• includes power feed

9514611041. 22,50

9514611043. 26,90

TERMINATOR



FIELD INSTALLABLE MALE

9514611011. 17,90

FIELD INSTALLABLE **FEMALE**

9514611013. **17,90**



1 m. 9514611051. **19,90** 2 m. 9514611053. **25,90** 5 m. 9514611055. 35,-10 m. 9514611057. **54,-**



BATTERY CASE WITH POWER OUTLET

- 10A/50A automatic fuse
- 1x cigarette lighter output, 2x USB output
- (+)/(–) output with wing nut attachment
- charging status indicator

67,

WEBASTO AIR TOP 2000 STC

AIR HEATER

- 0,9 2,0 kW
- optimal efficiency ensure economical
- produces warmth quickly into whole boat
- pienikokoineneasy to install
- 12/24 V

1115,



9515009606

Note! Ready-to-install kit requires:

- basic heater kit
- boat or basic installation kit
- air system according to installation

(~)ebasto

Feel the Drive

9519400098

1852 TOOL CA

TOOL CASE 114 TOOLS

- very good quality
- versatile tool kit in a robust case
- includes the most important tools for any boater

185,



ROCA

9514041120

WINDSHIELD WIPER MOTOR 12V

- two-speed
- adjustable wiping angle
- also suitable for aluminium and steel boats

UUTUUS NEW NYHET

ROCA

95,

ADAPTER CABLES FOR OUTSIDE USE

- very soft and pliable adapter cables.
 3 x 2,5 mm²
- H07RN-F-approval

SCHUKO-MALE – CEE-FEMALE

0,5 m. 9514101160. **9,50** 1,5 m. 9514101162. **10,90**

950

9514101164

CEE-MALE – SCHUKO-FEMALE 0,5 M



950



20 20 CAMPAIGN

LONG BATTERY JUMPER CABLES FOR BOATS, 7 M

 for boosting a starter battery from external source

• 7 m, 35 mm2

1852

59,



1852

POWER CABLE

- black, tinned, oxygen free copper
- 7,5 m, price/pc

8 mm². 9514040602. **22,**16 mm². 9514040604. **38,**25 mm². 9514040606. **59,**35 mm². 9514040608. **75,**50 mm². 9514040610. **109,**70 mm². 9514040612. **149,**-

MARITIM

- · black, tinned, oxygen free copper
- 15 m, price/pc

8 mm². 9514040622. **42,**-16 mm². 9514040624. **74,**-25 mm². 9514040626. **115,** 35 mm². 9514040628. **145.**-

22,

ZS MAR QUA

1852

BATTERY CABLE

 ready made 0,5 m cable 12 mm with ring connectors, price/pc

25 mm². 9514040652. **6,50** 35 mm². 9514040654. **8,90** 50 mm². 9514040656. **11,50**

 ready made 1 m cable, 12 mm with ring connectors, price/pc

25 mm². 9514040658. **12,90** 35 mm². 9514040660. **16,90** 50 mm². 9514040662. **22,90**

650



DOLPHIN PREMIUM

AUTOMATIC CHARGER SERIES 12 V

 digitally controlled charging function, user can select one of four charging algorithms depending on the battery type, includes also BMS

 25A and 40A chargers are equipped with a night mode switch

 connections are done using Phoenix quick connectors

 charger has three isolated outputs for several battery packs

 operating temperature range -10°C - +50°C





10A, 96 x 120 x 238, 1,3 kg. 9514101101. **185,**-15A, 96 x 120 x 238, 1,3 kg. 9514101102. **239,**-25A, 96 x 120 x 354, 1,9 kg. 9514101103. **319,**-40A, 96 x 120 x 354, 1,9 kg. 9514101104. **525,**-











DISH SET

- made of melamine
- with anchor and rope decoration
- incl. 4 dessert bowls, 4 large plates, 4 bread plates, 4 drinking glasses, 4 mugs





9519036019

KEY CHAIN WITH CORK BALL FOR FLOTATION

- · floats two keys
- floatability 40 g



SMART WHISTLE

9515008702

WHISTLING KETTLE 1,8 L

- made of stainless steel



SMART POT

9515008704

KETTLE KIT

- glass covers
- a three kettle set: 14 x 13, 16 x 15 and 18 x 17 cm
- also suitable for induction stoves and open fire cooking





KAPOK CUSHION 1-PART

- floating
- impregnated cotton fabric woven with polvester thread
- encircled with 5 mm grab rope
- dimension approximately 47 x 37 x 6 cm

Navv. 9517007004.

Grev. 9517007006. 14,-Beige. 9517007008. 14,-

2-PART

- floating
- stays in place better than two separate cushions
- dimension approximately 47 x 74 x 6 cm



Navy. 9517007020. 28,-9517007027. 28,-Grey. Beige. 9517007028. 28,-

MPAIGN



ISOTEMP

HOT WATER BOILER

· grey outer shell is made of strong polypropene with thick polyurethane isolation layer water tank and other parts in contact

with water are made of AISI316 stainless steel

protected with a 6 bar overpressure valve

includes a thermostat valve



SPAMIX20. 20 I. 9515020013. 409,-

SPAMIX40. 40 L 9515020023. 459,-

JOHNSON PUMP AQUA T COMFORT

TOILET

- easy to use WC with a powerful manual pump
- pump can be installed to the left or right side of bowl 11 kg large bowl



9515022075

9515022401

SANIMARIN COMFORT 31 TOILET

12 V

- electrical operated • height only 31 cm
- · flushing mechanism is controlled by a 2-way switch which initiates flushing or crushing/pumping

When necessary, order flushing pump separately.

SANIMARIN)



rotemp

9515022392



SANIMARIN MAXLITE+

TOILET

- flushing and crusher pump is powerful and quiet
- the bowl is very durable and extremely light
- toilet is controlled using a separate control switch which is included in the package
- the motor can be installed to t he left as well to the right side of the basin
- 12 V (300 W) 25A, 8 kg

SANI WARIN SFA

ENO ONE INOX

9593009530

GAS STOVE/OVEN

- outer surface made of polished stainless steel
- enammelled oven made of galvanised steel
- burner power 1,75 2,5 kW, oven 1,8 kW
- h. 470 mm, w. 515 mm ja d. 446 mm, weight 21 kg

If necessary, the drip/cooker tray (9515008395) must be acquired separately.





9510926124

CAN RANDI

GAS HOB UNIT

- 1-burner gas hob/sink combination
- burner power 1,9 kW
- sink made of stainless steel 304, brushed surface
- black tempered glass cover







ISOTHERM ITC+

9514047160

REFRIGERATION UNIT

- air-cooled compressor for max. 100 l. cold boxes
- digital ITC control unit
- low power consumption stainless steel cooler 2 l., 300 x 210 x 60 mm
- 12/24 V Secop



rotherm

ISOTHERM TB18

FRIDGE/FREEZER 18 L, 12/24 V

- interior light
- electronic thermostat +10 - -18 C°
- 12/24 VDC
- 405 x 235 x 565 mm
- weight 8,6 kg

rotherm

9514047027

9514047035





ISOTHERM CRUISE 42 REFRIGERATOR 42 L

- freezer box 4 l.
- h. 530 mm, w. 380 mm ja d. without compressor 310 mm + door 40 mm
- weight 13,5 kg
- 300 W/24 h

votherm

9514047430





ISOTHERM ELEGANCE

REFRIGERATOR 130 L door surface brushed steel imitation

- melamine
- blue LED internal light
- h. 750 mm x w. 525 mm x d. 505 mm + 50 mm (door)
- 418 W/24 h

otherm



MARCO **OIL EXCHANGE** PUMP 20 L/MIN.

- with switch
- bronze gear tooth
- can be used to fill in or drain out oil
- 12 V/7,5A



1852

FUEL TANKS

 made of plastic, with suction tube, cork has separate air valve, lateral use

12. l. 9513780045. **24,90** 24. l. 9513780047. 29,90

MARITIM



9513780005

FUEL HOSE 2,2 M

with small pump, Ø 8/13 mm

9.90

9513780210

FUEL HOSE 2 M

- withstands alcohol and UV radiation
- Ø 9.5/15 mm
- larger pump



COMPLETE FUEL HOSE

- withstands alcohol and UV radiation
- flexible quality, with connectoris

9513780002. 13,90 Yamaha. 9513780013. **14,50** Honda. 9513780011. 15,90





MARCO UP2/E

GEARWHEEL PUMP 10 L/MIN.

- electronic pressure control system
- no need for a pressure tank
- self-priming, 12/24 V
- short circuit and overload protection
- 3/8" BSP thread



9515005650

FUEL FILTERS

- complete filter
- aluminium body
- contains hose connectors 2 x 9.5 mm and 2 x 3/8"
- 145 x 106 x 106 mm

General filter. short

10 micro filter. 9513780230.

29,90

Spare filter 10 micro for filter 9513780230 (C14550) 9513780232.

8.90

General filter, long

10 micro filter. 9513780234.

34,-

Spare filter 10 micro. 9513780236.

10.50

- complete filter
- aluminium body
- complete filter
- contains hose connectors $2 \times 9.5 \text{ mm}$ and $2 \times 3/8"$

General filter. 230x106x106 mm

10 micro filter. 9513780238.

52,-

Spare filter 10 micro 9513780240.

16.90



General filter, 275x106x106 mm 10 micron filter. 9513780242.

59,-

Spare filter 10 micro. 9513780244. 22.90







WHALE WATERMASTER

FRESH WATER PUMP 11,5 L/MIN.

• steady and powerful water

- pumping capacity
- water pressure 3 bar, 12 V/6A pump is self-priming up to 3 ma
- very quiet
- motor is encased (fully waterproofed, IP65)
- pump is suitable also for salt water



WHALE ORCA 500 **BILGE PUMP** 32 L/MIN.

current consumption • easy to install and service

19 mm hose connector

cable length 1 m

12 V. 1.5A



9515005092

9515004382



TEST WINNER! "High capacity, long cables"

WHALE SUPERSUB



9515004498

SMART 650 AUTOMATIC BILGE PUMP

40 L/MIN.

- "recognize" when bilge has water and start automatically close automatically when
- water level is low enough
- 12 V
- 19/25 mm hose connector



WHALE

AUTOMATIC ELECTR **BILGE PUMP** SWITCH

- no moving parts
- 12 V/24 V
- maximum load 20A



9515004127

9515005690 MARCO SP2

SHOWER KIT



- includes pump, hose (4 m), shower nozzle and shower head deck feedthrough
- self-priming (sucking)
- 12 V/24 V
- 10 l/min

MARCO

READY-MADE 2M **ENFORCED**

WATER HOSE

- for engine cooling water intake. bilge pumps, open cockpits, sinks, bailers etc.
- enforced with steel wire
- temperature range -10°C +60°C

20 mm. 9515011070. 6,90 28 mm. 9515011071. **12,50** 32 mm. 9515011072. **14,50**





RUBBER BOOTS

- non-marking non-slip bottom
- enforced construction on heel, sole and toe parts, removable inner sole
- 37. 9557201502. 38. 9557201503.
- 46. 9557201511. 47. 9557201512. 39. 9557201504.
- 40. 9557201505. 41. 9557201506.
- 42. 9557201507.
- 43. 9557201508. 44. 9557201509.
- 45. 9557201510.







WATER TIGHT STORAGE

MARITIM

BAGS

 suitable for storing clothes and equipment without humidity problems

9517011633. 14,90 10 L. 15 L. 9517011634. 17,90 25 L. 9517011635. 20,90 Ruck sack. 15 L. 9517011631. 29,90

Soft bucket. 15 L. 9517011632. 9,90







9519037454 **BÅTSYSTEM** 250-300 **BOW**

1240

LADDER aluminium

- ladders suitable
- for sailing boats
- robust design 4 steps
- tube Ø 25 mm







MP55 + BKT72-250


BOW PLATFORM + LADDERS

- bow platform equipped with telescopic ladder in casing, MP55+ BKT72-250
- for medium-sized (18-25') motor boats
- sturdy teak lathing, ladder with 2 steps

Bätsystem

BÅTSYSTEM HP65

- **BOW PLATFORM** for sailing boats 18' - 28'
- tube Ø 32 mm
- suitable ladders BU60P (9519037474) or BKT 72-250 (9519037465).




9519037430

Bätsystem



FINNISH FLAG

boat flagpolyester







9510913980 4 pcs mooring rope with eyelet 12 mm, 6 m 9513039078 4 pcs firemans hook 140 x 12 mm, AlSl316 9513030003 1 pc paddle/boat hook (telescopic) 90 - 160 cm, Ø 30 mm 9513049005 1 pc drag anchor 5,5 kg, galvanized 9513054105 4 pcs fender G-3, white, 145 x 505 mm 9517159322 2-set rope for fenders 6 mm, 2 x 1,5 m,

eyelet 40 mm 9515002002 1 pc bailer



KEELSHIELD

KEEL PROTECTOR

195,-

219,-

165.-

195.-

5'/1,53 m, white Boats upto 4,3 m. 9516019205. **165,-**

6'/1,84 m, white Boats 4,3 - 5,0 m. 9516019206.

7'/2,14 m, white Boats 5,0 - 5,5 m. 9516019207.

5'/1,53 m, black. Boats upto 4,3 m. 9516019215.

6'/1,84 m, black. Boats 4,3 - 5,0 m. 9516019216

7'/2,14 m, black. Boats 5,0 - 5,5 m. 9516019217. **219.-**

- protects your boats keel efficiently against rubbing and scratching during trailering, in shallow waters, on rocky beaches and on concrete ramps
- long operating life
- works well on both glassfibre and on most aluminium boats
- width 12,7 cm (5")









MAT

- classic boat mat brings comfort and style on board your vessel
- non-slip bottom
- anchor pattern

45 x 30 cm. 9517007050. **8,90** 60 x 40 cm. 9517007052. **14,90** 45 x 150 cm. 9517007054. **39,**-



1852

RATCHET LOAD STRAP

KIT WITH FIXED HOOK

- load strap with fixed hooks
- suitable especially for securing a boat on a trailer
- pack includes 4 pcs of load straps
- breaking strength
 1200 kg
- length 2 m, loop 250 mm

29,

1852

9513040110

LTC SMART LIVING

COMPRESSOR

- battery operated
- portable
- 10 bar/150 PSI
- 30 l. minute
- digital display
- USB outputpocket torch
- 240 mm x 150 mm
- x 55 mm





9513053098





9513040112

1852

RATCHET LOAD STRAP KIT

- practical ratchet kit especially for securing a boat on to a trailer
- kit contains: 4 pcs straps 2,5 m/35 mm (250 mm loops), 4 pcs ratchets, 1 pc removable handle
- breaking load 1500 kg





1852



PORTABLE VACUUM CLEANER 0.4 L

- operates from a cigarette lighter connector on boats and on cars
- operating range 5,5 m, flexible 2 m hose
- LED light for dark spaces
- 12 V, power 100 W, weight 2 kg

59,



9514601001

SANIDRY

DEHUMIDIFIER

For the car, trailer, boat, home, garage, cellar, summer cottage etc. Also for cleaning the boats or trailers refrigerator.

- breathing surface which suck humidity from air but does not let condensed water to move back through the surface
- reduces formation of mildews and prevents unpleasant odours



O,-

SaniDry Tray Grande 500 g. 9519016062.

White protective case for SaniDry Tray 250 g product. **7,-**







YACHTICON

FABRIC BUCKET

• remains upright when filled up

• includes carrying bag

• nylon



9515018005

Yachticon

MPAIGN

UUTUUS NEW **NYHET**

KEEP YOUR BOAT IN EXCELLENT CONDITION BY **USING TOP-NOTCH** LIQUI MOLY MARINE PRODUCTS.

LIQUI MOLY

MARINE 2T MOTOR OIL

TWO-STROKE **MOTOR OIL 1L**

- reliable lubrication
- for air and watercooled two-stroke marine engines with separate and premix lubrication systems



9513781420

9513781426

LIGUI MOLY MARINE 2T MOTOR OIL

MARITIM

TWO-STROKE MOTOR OIL 5 L

- provides for reliable lubrication, engine reliability and outstanding protection against wear and corrosion
- · for air and water-cooled two-stroke marine engines with separate and premix lubrication systems

9513781422



LIQUI MOLY MARINE 4T MOTOR OIL 10W-30

FOUR-STROKE

MOTOR OIL 1L

- for engine and turbocharger lubrication
- for inboard and outboard engines







LIQUI MOLY MARINE GEAR OIL

GL4/GL5 80W-90 **GEAR OIL 1 L**

- minimizes wear and noise
- outstanding corrosion protection and resistance to aging
- for outboard and inboard transmissions subject to a normal to high load



9513781456

9513781462 LIQUI MOLY MARINE GEAR OIL

GL4/GL5 75W-90

GEAR OIL 250 G

- ensures perfect functioning of assemblies even under extreme operating conditions and when exposed to large temperature fluctuations
- also suitable for drive wheels of different categories and reverse gears



9513781398 LIQUI MOLY OIL CHANGE PUMP



FIX ALL TURBO

SOUDAL

WHITE GLUE AND SEALING COMPOUND 250 ML

- 1 component
- fast healing and high final strength
- MS polymer based
- chemically neutral
- fully elastic
- cures fast especially when layers are thin

SOUDAL

9519500246



WHITE GLUE AND SEALING **COMPOUND 200 ML**

- packed in easy to use pressure packs, no need for pistol
- excellent solution in applications in which pistol is too cumbersome
- non-poisonous

SOUDAI

9519500247

SOUDAL FIX-ALL PRESSPACK

TRANSPARENT GLUE AND SEALING COMPOUND 290 ML

- · packed in easy to use pressure packs, no need for pistol
- excellent solution in applications in which pistol is too cumbersome
- colorless

SOUDAL





9519500297

JOINTS UNIVERSAL CLEANING WIPES 80 PCS

• cleans chemical agents such as inks, glues, oils and greases from tools...

9519500301



SOUDAL SWIPEX XXL SUPER CLEANING WIPES 20 PCS

for the quick and effective removal of adhesives, sealants, oils, paints and greases from hands, tools and non-porous surfaces



SOUDAI

9519400006 **VARNISH**

- **BRUSH 50 MM** high quality
- 1 and 2 component varnishes and paint



ROLLER KIT



Roller 110 mm, brush 50 mm. 9519400090. 4,50

Roller 180 mm, brush 50 mm. 9519400092 6,50

MPAIGN

MIRKA GRINDING PRODUCTS FOR BOAT MAINTENANCE.



MIRKA

POLISHING PAD

• the durable reticulated foam of the pad has an excellent elasticity and retains its properties for a long time

MARITIM

- the pads are designed to be used in combination with Mirka polishing compounds; Polarshine 15, Polarshine 10 ja 8
- suitable for all kinds of polishing processes: paintworks in ART. Marine and Wood sectors as well as Vehicle and Tier1

85 x 25 mm. 9519401356. **17,90** 150 x 25 mm. 9519401044. **35,-**

2 PCS/PKG

MIRKE

9519401052

MIRKA POLARSHINE LIQUID NANO WAX

LIQUID NANO **WAX 500 ML**

- · designed for the fast and efficient final finishing of polished surfaces
- also protects surfaces suitable for both manual and machine



MIRKA

9519401050

MICRO FIBRE CLOTH

- · high-quality micro fibre cloth
- cloth has high suction capacity and can be washed
- 330 x 330 mm
- 2 pcs/package

2 PCS/PKG



MIRKE

MIRKA POLISHING KIT

POLISHING KIT FOR BOAT

- Polarshine 10 polishing compound, medium roughness, 250 ml
- polishing pad 150 mm, wool, sticker attachment, 1 pc
- Polarshine 3 finishing compound/wax, 250 ml
- polishing pad 150 x 25 mm, foam, black, smooth, 1 pc
- micro fabric cloth 330 x 330 mm, yellow, 2/package



MIRKE



MIRKA

9519401058

POLARSHINE 3 NANO WAX

FINE POLISHING COMPOUND WITH NANO WAX 250 ML

- protects an already made high gloss surface, original surfaces and surfaces with renewed paint surface
- can be polished manually or by machine
- cleans, polishes and protects with a single easy application



WIRKE

IDan

9519401030

POLARSHINE 10

MIRKA

MEDIUM ROUGH POLISHING COM-

- POUND 250 ML
 Polarshine 10 is a one
- ingredient polishing solution
 suitable for all varnishes
- does not contain silicones
- suitable for both hand and machine polishing



WIRKE

1390

9519401034

POLARSHINE 35

MIRKA

ROUGH POLISHING COMPOUND 250 ML

- you can minimized the required work phases
- polishes faster and more efficiently and produces a high gloss surface finish
- easy to apply



1990

MIRKA

OWATROL OIL REMOVER

WOOD OIL REMOVER 2,5 L

- effectively removes old wood oils from deep within wooden parts
- ready to use and easy to apply
- within 10 15 minutes the oil has dissolved and is then brushed off while flushing
- further handling is carried out with Owatrol Terassrens or Deck Cleaner cleaning agents



9519318054

2690

OWATROL

9519318051

OWATROL DECK CLEANER

OWAIROL DECK CLEANER

CLEANING COMPOUND 2,5 L

- 1 component cleaning and polishing agent
- fast reacting wood cleaning agent restores original color of wood and cleans dirty wood surfaces
- can also be used to clean glassfibre, glass and plastic surfaces
- removes rust stains from concrete, stone and wood materials
- does not damage wood grains or patterning



1990

OWATROL

TRANSCLEAN 65

SEPTIC TANK DETERGENT

- removes crystallized urea and other hardened wastes from septic tanks and hoses
- environmentally friendly
- not harmful for metals, plastics of rubber
- 1 I. 9515017050. **21,90** 4 I. 9515017052. **75,-**





MPAIGN

INTERNATIONAL SUPER CLEANER

STRONG DETERGENT **CONCENTRATE 0.5 L**

- dissolves dirt, wax, oil and grease, suitable for most surfaces
- can be used as general cleaning agent

International.

9519215200



9519215203

INTERNATIONAL **BOAT SHAMPOO**

BOAT DETERGENT 0,5 L

MARITIM

- forms a shiny water repelling film
- suitable for use with both salt and fresh water

International





INTERNATIONAL POLISH AND WAX

POLISHING INGREDIENT/ PROTECTIVE WAX 0.5 L

 combined polisher and wax for gelcoat and painted surfaces and metal surfaces

X International



9519215270

INTERNATIONAL

INTERNATIONAL TEAK RESTORER

TEAK CLEANING COMPOUND

0,5 L

· cleans teak and other precious woods and restores original tones

does not cause fading and does not damage surfaces

X International



9519215195

UV WAX SEALER UV PROTECTING WAX

0.5 L

 for gelcoat and painted surfaces, gives excellent protection, easy to polish

International



INTERNATIONAL TEAK OIL

TEAK OIL

• protects teak surfaces and enhances their natural beauty

0,5 l. 9519215235. 15,90 9519215242. 89.-4 |.

International



INTERNATIONAL **BARNACLE REMOVER**

BARNACLE REMOVER 0.5 L

• for propellers, outboard engine parts, boat hulls under water line, boyus...

X International





9519215282





READY TO USE **CLEANER** 750 ML

cleaner for stain removal for boats, caravans, homes or summer cottages, motorcycles,

PROFLASH ---etc.

UUTUUS NFW **NYHET**



ABNET

9519214020





ABNET

9519214022

PRESSURE SPRAY 1 L

dispense the Abnet cleaner concentrate according to instructions. Spray and clean with a sponge, brush or high-pressure cleaner Rinse with water.

9519214000

ABNET **PROFESSIONAL CLEANER** CONCENT-

RATE 1 L

 for boats. caravans, cars, both inside and outside

does not damage surface or seals environment-

friendly

BÄST

UUTUUS NEW **NYHET**

1852

TUBE

WATER SKI

ROPE 18 M

FOR ONE

PERSON

TESTVINNARI

ABNET

ENGORINGSMEDE



9519038245

9519038293

1852 SPARK

WATER SKI TUBE

- · for one person
- Ø 137 cm



1852

1852 TRIDENT

WATER SKI

TUBE SET

- Trident water ski tube for 1 person a pump and
- a rope
- tube dimensions Ø 137 cm

9519038291

1852 CRAZY BANANA **WATER SKI**

TUBE · for max. three people length 310 cm

9519038295



9519038247







Tarkista lähin jälleenmyyjäsi www.maritimshops.fi/ jalleenmyyjat

MARITIM

Importer:
Oy Maritim Ab
Veneentekijäntie 1
FIN-00210 Helsinki
Tel. +358 (0)10 2740 320
maritim@maritim.fi
www.maritim.fi

Follow us at: www.facebook.com/ OyMaritimAb

Web shop open 24/7 at www.maritim.fi