

Tested

developed and produced in the EUThe new range of lifejackets provide fantastic protection.

"yacht" magazine, Germany, issue12-12 Marinepool 300N Premium

Test winner 5 out of 5 stars

"Fully equipped, convincing and great performance"
"Turns quickly and relaible, very bright LED sea light"
First out of 14 jackets tested.

Waterkampionen, Holland, March/April 2013 Marinepool 300N Premium

Test winner

"This Lifejacket delivers both good performance and is also very complete"
First out of 12 vests tested.

Trailer Boat magazine, Australia, May 2011 Marinepool 180N Premium

10 out of 10

"This is a quality product designed to last and with good safety features"

First out of 8 vests tested.

Vene magazine, Finland, February 2013 Marinepool 180N Premium

"Highly recommended"

"Secure turning and especially good freeboard and body angle"

"yacht" magazine, Germany

Marinepool 180N Racer Plus

4 out 5 stars, Marinepool 180N vest in a 275N review

Beating most of the 275's on test although it's just a 180N vest!!! "Very short activation time, well designed operating head pocket, compact buoyancy, good swimming position"

Vene, Finland, February 2013 Marinepool 180N Pro

Test winner, 5 out 5 stars

"Surprisingly the clear test winner by some way"
"Turned all subjects in ALL conditions and the floating position was constantly and excellant one"

"One of the most comfortable jackets we ever wore"

Icjkuriren, Sweden

Marinepool 180N Pro
June 2013
"High buoyancy, turns fastest in the water"



And the winner is . . .



ISO 300N PREMIUM Inflatable Lifejacket

ISO 12402-2

Art.-Nr. **FEATURES**

5000602 with sprayhood an light

300N

- 300N buoyancy through 60g CO₂
- hook-and-loop closure cover or coil zipper with quick burst point
- ergonomic shape
- ISO 12401 deck safety harness or SS40 quick release waistbelt
- very fast turning times due to well-placed buoyancy
- comfortable to wear due to optimized distributed weight across the shoulders, mesh and double back straps
- padded removable fleece collar
- Solas approved light (optional)
- 12402-8 easy don spray hood (optional)
- choice of UML Pro sensor or Hammar MA1 operating systems with status window, Halkey Alpha operating head
- leg strap as standard on all models
- coarse polyester webbing so buckles do not slip

COLOUR

black | navy | red





ISO 12402

Products newly designed, developed and introduced to market will be approved to ISO12402.

These standards are intended to ensure that all lifejackets sold meet very stringent requirements regarding the design, performance, materials and components used and even give guidelines regarding the information to be provided to the customer about the lifejacket.

• More stringent test criteria meaning lifejackets have to be far superior in every way

- All components must be individually approved then assembled together and approved as a lifejacket
- Annual surveillance testing for safety harness and a 5 year certification for the product meaning every 5 years it needs renewing
- · Accepted worldwide (except USA)

All of the above have 1 outcome. A superior performing product in every possible way.

Marinepool lifejackets providing unrivalled comfort, security and support for users. Designed to outperform the ISO 12402 requirements, providing increased performance in the most demanding of environments.

ISO 12402-2 275N LIFEJACKETS



ISO 300N PRO 3D Inflatable Lifejacket

ISO 12402-2

ArtNr.	5000178 UML pro sensor	300N
ArtNr.	5000614 Hammar MA1 sensor	300N
FEATURES	300N buoyancy through 60g CO ₂ hook-and-loop closure cover ergonomic 3 dimensional cover ISO12401 deck safety harness with SS40 quick releas quick adjust side straps comfortable to wear due to optimised distributed weig across the shoulders and fabric back strap very quick turning time due to well-placed buoyancy b	ht
	the head choice of Hammar MA1, Halkey F1 or pro sensor indicoperating systems reflective piping on cover for added security padded fleece collar for added comfort solas approved light (optional)	ation
	 12402-8 approved integrated easy don sprayhood (op double D ring for ideal distributed weight on the anchopoints double leg strap coarse polyester webbing so buckles do not slip 	,

• 3M retro reflective tape on cover



ISO 300N CLASSIC Inflatable Lifejacket

black/grey | black/lime

ISO 12402-2

300N Art.-Nr. 5002461 **FEATURES** • 300N buoyancy through 60g CO₂ • hook-and-loop closure cover or coil zipper with quick burst point • ergonomic shape • ISO 12401 deck safety harness • fast turning times due to well-placed buoyancy • comfortable to wear due to optimized distributed weight across the shoulders and back strap • leg strap as standard • coarse polyester webbings so buckles do not slip • option of fitting SOLAS approved light and ISO 12402-8 sprayhood COLOUR navy | red | black



COLOUR

For the maintenance we have provided a service form for download at www.marinepool.com









ISO 220N SPORT Inflatable Lifejacket

ISO 12402-3

ArtNr.	5002463 220
FEATURES	• 220N buoyancy through 45g CO ₂ with HR inflator
	Cordura [®] velcro closure cover
	ergonomic shape
	 ISO 12401 deck safety harness
	 very fast turning times due to well placed buoyancy
	 comfortable to wear due to optimized weight distribution across the shoulders and back strap
	leg strap as standard
	 coarse polyester webbings so buckles do not slip
	 option of fitting SOLAS approved light and ISO 12402-8 sprayhood
COLOUR	black red navy



techinfo: UML Pro Sensor Inflators

- Affords the user a ,clearly visible' point of status indication, to confirm that the unit has been automatically or manually activated

 the unit also provides the added benefit of detecting if the CO₂ cylinder has been pierced, eradicating the possibility of accidentally fitting a pierced gas cylinder

 simple re-charging procedure
- the automatic pro-sensor is fitted with the latest ,all weather' cartridge with the added benefit of inhibiting the accidental ingress of moisture and water spray, during hot humid or heavy stormy weather
- no service requirements for 3 years on the inflators



ISO 12402-3 150N LIFEJACKETS



ISO 180N	PREMIUM Inflatable Lifejacket	ISO 12402-3
ArtNr.	UML pro sensor 5000167 harness black	180N
ArtNr.	Hammar MA1 5000169 harness red black	180N
ArtNr.	zipper closure 5000645 black	180N
FEATURES	180N buoyancy through 38g CO ₂ hook-and-loop closure cover or Coil zipper with point ISO 12401 Deck safety harness or SS40 quick comfortable to wear due to optimized distribute the shoulders, and mesh back strap padded removable fleece collar solas approved light/12402-8 easy don spray he choice of UML Pro, Hammar MA1 or Halkey Alpubles es trap as standard on all models coarse polyester webbing so buckles do not slip	release waistbelt d weight across ood (optional) sha
COLOUR	black	

MACINE	

	_	
180N RA	CER ISO Inflatable Lifejacket	ISO 12402-3
ArtNr.	UML MK5 with deck safety harness 5000160 with waistbelt 5000159)
	Halkey-Roberts Alpha with deck safety harne with waistbelt 500016	
FEATURES	 180N buoyancy through 38g CO₂ hook-and-loop closure cover ISO 12401 deck safety harness or SS40 quic choice of UML MK5 or Halkey Alpha operatir leg strap as standard on all models coarse polyester webbing so buckles do not 	ng systems
COLOUR	red black	·

ISO 180N PRO Inflatable Lifejacket

ISO 12402-3

Art.-Nr. UML Pro sensor 5000155 Halkey-Roberts F1 5000156 Hammar MA1 5000158

> UML Pro sensor incl. sprayhood + Solas light 5000154 Halkey-Roberts F1 incl. sprayhood + Solas light 5000157 Hammar MA1 incl. sprayhood + Solas light 5000153 **18**(

FEATURES

- \bullet 180N buoyancy through 38g $\mathrm{CO}_{_{\! 2}}$
- hook-and-loop closure cover
- ergonomic shape
- ISO 12401 Deck safety harness with quick release SS40 entry buckle
- quick adjust harness with side adjusters
- double D ring for ideal distributed weight
- Solas approved LED light/12402-8 spray hood (optional)
- double leg straps
- padded removable fleece collar
- choice of UML Pro sensor , Hammar MA1 or Halkey F1 operating systems with status window
- 3M reflective strip on cover
- coarse polyester webbing so buckles do not slip

COLOUR

black



180N RACER PLUS ISO Inflatable Lifejacket ISO 12402-3

Art.-Nr. UML Pro sensor with deck safety harness 5000164 with waistbelt 5000165 180N

FEATURES

• 180N buoyancy through 38g CO₂
• hook-and-loop closure cover
• ISO 12401 Deck safety harness or SS40 quick release

- waistbelt

 UML Pro-Sensor operating system with visible double
- UML Pro-Sensor operating system with visible double indication status window
- leg strap as standard on all models
- coarse polyester webbing so buckles do not slip

COLOUR

black







MX-5 Safety

ArtNr.	5000098	ISO 12401
FEATURES	Very robust 25mm nylon webbing, ISO 1240' lifejackets and harnesses, self locking hooks	, , , , , , , , , , , , , , , , , , , ,
COLOUR	red	



MX-6 Safety

Art.-Nr. 3 safety hooks (mx-6) 5000113 ISO 12401

FEATURES

Very robust 25mm nylon webbing, ISO 12401, suits all types of lifejackets and harnesses, self locking hooks, overload indicator (>7000-9000 newton), when flag is exposed, the safety line must be replaced

COLOUR red

LED SOLAS LIGHT



Art.-Nr. 5000595 45 x 19 x 31 mm

FEATURES CR₂ lithium battery (5 year life), weight 32g (including clip), water-activation automatically on, manual off / manual on, fire-resistant, oil-resistant, mould-proof

COLOUR black



ISO 150N JUNIOR Inflatable Lifejacket

ISO 12402-3

Art.-Nr. 5000601 150N

FEATURES

• 150N buoyancy through 24g CO₂
• hook-and-loop closure cover, ergonomic shape and leg strap
• ISO12401 deck safety harness
• comfortable to wear due to the optimised weight distribution
• choice of UML MK5 or Halkey Alpha operating system
• coarse polyester webbing so buckles do not slip

COLOUR

ISO 150N AERO PLUS Inflatable Lifejacket

ISO 12402-3

Art.-Nr.

5002880 / 5002881 / 5002893 / 5003201

165N

FEATURES

- 165N buoyancy through 33g CO₂
- ultra light vest (approx. 700g in weight) made from robust 600D polyester
- low profile design ideal for agile day sailing or fast power craft
- zipper closure cover with excellently placed burst point
- ergonomic shape
- easy front entry donning with SS40 quick release waist belt
- comfortable to wear due to optimized distributed weight
- distance padded mesh on pressure points on the chest, sternum and back
- optional harness with a soft nylon webbing D-ring
- choice of different operating systems
- leg strap as standard on all models
- integrated fleece collar (special quick drying bonded fleece)
- · reflective piping and ultra light

COLOUR

black



ISO 150N AERO Inflatable Lifejacket

ISO 12402-3

Art.-Nr.

5000659 165N

FEATURES

- 165N buoyancy through 33g CO₂
- one size fits all
- ultra light vest (approx. 700g in weight) made from robust 600D polyester
- low profile design ideal for agile day sailing or fast power craft
- zipper closure cover with excellently placed burst point
- ergonomic shape
- easy front entry donning with SS40 quick release waist belt
- comfortable to wear due to optimized distributed weight
- very small and compact
- manual waistbelt version available
- choice of UML MK5 or Halkey Alpha operating systems
- leg strap as standard on all models
- coarse polyester webbing so buckles do not slip

COLOUR

black









ISO 150N JUNIOR PREMIUM Inflatable Lifejacket ISO 12402-3

Art.-Nr. 5000600 >15kg **150N**

FEATURES

- 150N buoyancy through 24g CO₂
- hook-and-loop closure cover
- ergonomic shape
- ISO12401 deck safety harness
- comfortable to wear due to the optimised weight distribution across the shoulders
- UML pro sensor with sensor indication operating system
- reflective piping on cover for added security
- padded fleece collar for added comfort
- leg strap
- coarse polyester webbing so buckles do not slip
- also available with spongebob print

COLOUR

black





techinfo: The Hammar Standard System

Some big-benefit features of the Hammar manual/automatic lifejacket inflator

- unique hydrostatic valve that protects the water sensitive element. No activation in rain, spray, splash and humidity (1)
- single point indicator (green) shows that the inflator is ready for use (2)
- cylinder seal indicator (green) ensures that the cylinder has not been used (2)
- gas cylinder located inside the life- jacket bladder. Cylinder protected against corrosion, reduces snagging
- no service requirement of the inflator cap for 5 years.


The manual/automatic version works like this: when the inflator is lowered more than about 4 inches in the water, then the hydrostatic valve opens and lets the water meet the water sensitive element (4a), that in turn releases a stainless steel coil spring. The spring then drives a needle into the end of the gas cylinder, which is now punctured so that the gas instantly fills the lifejacket (4b). total buoyancy is normally reached within 4 – 5 seconds.


If you want to test your lifejacket in water, you can do this without activating the inflator. Just inflate your jacket through the oral tube and then go swimming. The counter pressure inside the bladder will prevent the hydrostatic valve from opening! That way you will not use up your gas cylinder. After your swim, let the jacket dry off, and then deflate it.


For rearming instructions please check www.marinepool.com




















ISO 165N SECURITY Inflatable Lifejacket

ISO 12402-3

Art.-Nr. 5000597 165N **FEATURES** • 165N buoyancy through 33g CO, • hook-and-loop closure cover · ergonomic shape • ISO12401 deck safety harness or SS40 quick release waistbelt versions • comfortable to wear due to the optimised weight distribution across the shoulders

Hammar hydrosatic MA1 operating head with indication window. no premature inflation due to the hydrostatic valve

which needs water pressure to activate • leg strap

• coarse polyester webbing so buckles do not slip • 3m retro reflective tape on cover in single colour only

COLOUR

red | blue | yellow/grey

ISO 165N CLASSIC Inflatable Lifejacket

ISO 12402-3

ArtNr.	5000598 165	ōΝ
FEATURES	• 165N buoyancy through 33g CO ₂	_
	hook-and-loop closure cover	
	• ergonomic shape	
	 ISO12401 deck safety harness or ss40 quick release waistbelt 	
	 comfortable to wear due to optimised distributed weight across the shoulders 	
	 UML manual waistbelt version available 	
	 choice of UML MK5 or Halkey Alpha operating systems 	
	• leg strap	
	 coarse polyester webbing so buckles do not slip 	
COLOUR	red navy white	





1. re-arming kit 'Hammar MA1' 5000503 33g Hammar MA1 for 150N 38g for ISO for 180N 60g Hammar MA1 for 275N / 300N

2. re-arming kit 'Hammar standard M1A1' 5000500 33g Hammar for 150N 60g Hammar for 275N







3. re-arming kit 'Halkey-Roberts F1'			
33g HR F1 for 150N	38g HR F1 for 180N		
60g HR F1 for 275N / 300N			
4. re-arming kit 'United Moulders'			

24g for 150N kids 33g for 150N adult 5000420 38g for 180N 45g for 220N 60g for 275N 33g for 150N UML manual 5000417 24g / 33g / 38g / 60g for Pro Sensor 5000087

5. re-arming kit 'Halkey Roberts Alpha' with Halkey Roberts Alpha inflator, cartridge, super-bobbin, clip 24g for 150N 33g for 150N adult

38g for 180N 45g for 220N 60g for 275N / 300N







RESCUE SYSTEM Safety

ArtNr.	5000106	48 x 32 x 15 cm	
FEATURES	Floating rescue sling for 'man over be 40 meters of floating rope, loops for		
COLOUR	yellow		

HORSESHOE BUOY Safety

ArtNr.	5000676
FEATURES	Soft traditional horseshoe lifebuoy has been designed for long term durability and high flexibility to ensure that they are suitable for all crew members. All horseshoes come with a 8mm floating safety line with hook, a high visibility zip on replaceable vinyl cover with salt water resistant zipper & flexible PE foam.
COLOUR	yellow



DOG LIFE JACKET Life Jacket

ArtNr.	5000064 orange 5000065 yellow (premium)	S – XL
FEATURES	Special life jacket for dogs with handle for retrieval from premium with reflective bands and pocket with zipper	water,
COLOUR	orange vellow/grev	

ISO 100N FREEDOM / BREEZE Life Jacket ISO 12402-4

Art.-Nr. kids available as orange, fish design or Sponge Bob

5-10 kg 5000586 10-15 kg 5000587 10-20 kg 5000588

20-30 kg 5000589 30-40 kg 5000590

adults

40-60 kg 5000591 60-70 kg 5000592 70-90 kg 5000593 90 ++ kg 5000594

100N

FEATURES

- 100N buoyancy through integral 12402 PE foam
- available in flo orange, kids also in fish design and Sponge Bob design
- 5 sizes for kids 5-10kg, 10-15kg, 10-20kg, 20-30kg & 30-40kg
- 4 sizes for adults 40-60kg, 60-70kg, 70-90kg & 90+kg
- comfortable to wear and good freedom of movement due to the well designed separate buoyancy compartments
- integrated leg strap(s)
- signal whistle
- padded collar for added comfort and support to the head
- robust zipper, adjustable waistbelt and tie cords at neck and
- 3 reflex strips which reflect searchlights to a distance of 1.2 miles

COLOUR orange



ISO 12402-4 **100N LIFEJACKET**









100N FREEDOM KIDS Life Jacket

ISO 12402-4

Art.-Nr. 1a. 5-10 kg 5000549

(turns the child within 2-6 seconds in face-up position, through increased buoyancy in collar the head is lifted high out of the water)

1b. 5-10kg, 5000550

2. 10-15 kg, 5000551 3. 10-15 kg, 5000552 (fish design) 4. 10-20 kg, 5000553 (fish design) 5. 20-30 kg, 5000554 (fish design)

100N

FEATURES

Life jacket for babies and toddlers, optimised comfort through divided foam compartments and flat collar, easily adjustable with tie-cords on neck and hem, integrated crutch strap, reflective bands for increased safety, signal whistle and zipper

COLOUR orange



ISO 12402-4

Art.-Nr. 40+ kg 5000514 100N **FEATURES** One size fits all over 40kg with convenient waist strap, a fast-donning lifejacket: easy to put on and take off. Fluorescent orange high visibility outer fabric, signalling whistle and reflective tape, easy to stow as a square package, double click buckle, ideal for passenger ships/ferries, inland waterways

COLOUR orange







ISO 50N LAKE PRO PE Racing Vest

ISO 12402-5

ArtNr.	5000414	50N
FEATURES	Racing vest with PE foam filling, optimum adjustability through hook-and-loop fasteners on both sides, elastic bands and zipper on sides, front pocket, ISO certified	
COLOUR	orange/white navy/red black	

ISO 12402-5





KG 30-50 50-70 70-90 90 ++ 100 ++



ISO TITANIUM PROMO VEST ISO 12402-5		TITANIUM VEST Easy Don Vest		
ArtNr.	5000668	50N	ArtNr.	5000668
FEATURES	your logo can be printed on the back, great or sailing clubs, make your team also look li easy don side entry fastened by side entry zipper, easily adjusta elasticated bottom & adjustable shoulder st elasticated side panels super soft PE or PVC foam options for flexil	ke team ble waistbelt, raps	FEATURES	side entry fastened by side entry zipper elasticated bottom & adjusta elasticated side panels super soft PE or PVC foam of single waterproof pocket on concealed snug free buckles moulded to body for great me

• single waterproof pocket on the front
• concealed snug free buckles and webbings COLOUR black

COLOUR

5000668	ON
• side entry	
 fastened by side entry zipper, easily adjustable waistbelt, elasticated bottom & adjustable shoulder straps 	
elasticated side panels	
• super soft PE or PVC foam options for flexibility and comfo	ort
 single waterproof pocket on the front 	
 concealed snug free buckles and webbings 	
 moulded to body for great mobility and to stop vest riding up 	
grey red black	





ISO ZIPPER VEST Easy Don Vest

Art.-Nr.

FEATURES

• fastened by easy adjust waistbelt, robust zipper and top and bottom ties

• elasticated side panels

• super soft PE foam for flexibility and comfort

• robust tough polyester fabric white/black | navy/grey | red/black

50N

ISO 12402-5

• available in 30-50, 50-70, 70-90 & 90+kg

Easy Don Vest



Art.-Nr. 50N **FEATURES** • available in 30-50, 50-70, 70-90 & 90+kg • fastened by easy adjust waistbelt and top and bottom ties • elasticated side panels • super soft PE foam for flexibility and comfort • robust tough polyester fabric • belt loops on inside of vest so it can be reversed COLOUR black/red

ISO 12402-5

ISO ACTIVE REVERSIBLE VEST

COLOUR





ISO ACTIVE VEST Easy Don Vest

ISO 12402-5

100 A011	TE TEST Lasy Boll Vest	100 12402-3
ArtNr.	5000644	50N
FEATURES	 available in 30-50, 50-70, 70-90 & 90+kg fastened by easy adjust waistbelt and top elasticated side panels. super soft PE foam for flexibility and comf robust tough polyester fabric. 	and bottom ties.
COLOUR	red/black	



EXPEDITION VEST

COLOUR

Easy Don Vest ISO

ISO 12402-5

ArtNr.	5000669 50N
FEATURES	hi cut kayak, canoe 50N bib vest
	 available in 30-50, 50-70, 70-90 & 90+kg
	 excellent mobility and freedom of movement
	 fastened by unique side entry zipper, easy adjust waistbelt, elasticated bottom and adjustable shoulder straps
	 elasticated side panels
	 moulded to body to stop vest riding up
	 super soft PE or PVC foam options for flexibility and comfort robust tough nylon fabric
	• single pocket on the front with left and right hand zipper entry
	 additional mesh pocket with tension adjuster
	 rear pocket for hydration pouch
	 reflex strip across front



50N CANOE VEST Canoing Vest

EN 393

ArtNr.	5000078	one size
FEATURES	Canoeing vest with PE foam filling, adjustable crutch strap for safe fit	e for all sizes,
COLOUR	red olive blue	



black/orange | red/black

ISO WATERSKI VEST

ISO 12402-5

5000083	50
available in 30-50, 50-70, 70-90 & 90+kg Vest specially designed for water-skiing, PE foam filling, optimal fit through 4-belt-system	
black red/white/grey	
	available in 30-50, 50-70, 70-90 & 90+kg Vest specially designed for water-skiing, PE foam filling, optimal fit through 4-belt-system