

# **Bungees and sail ties**



#### Elastic cable

Made of para rubber, coated with polyester.

White	Fluo pink	Black	Ø mm	Roll m
63,173,03	-	-	3	100
63.173.04	-	63.172.04	4	100
63.173.05	63.171.05	-	5	100
63.173.06	-	63.172.06	6	100
63.173.08	-	-	8	100
63.173.10	-	-	10	100
63.173.12	-	-	12	50
63.173.14	-	-	14	50



# New

# High-Tech shock cord

High-quality latex core elastic cord coated in abrasion-resistant polyester. This combination makes the cord compact, stable and durable. Sold in retail package to be hung.

Code	Ø mm	Length mm	Colour
63.174.05	5	10	White/Blue
63.174.06	6	10	White/Blue
63.174.08	8	10	White/Blue
63.174.10	10	5	■ White/Blue



# **Bungee hooks**

Made of nylon, knot fixing.

Code	For elastic band Ø mm	ORDER BY BOX
63.176.04	4	20
63.176.06	6	20
63.176.08	8	20
63.176.10	10	20



# Stainless steel ring hooks for shock cord

Suitable for shock cord terminals; the ring fasteners are used to lock the shock cord onto the hook; fastening with a pliers or a clamp.

S.S. Hooks	Clamps and s.s. Ring	For elastic cable Ø mm	ORDER BY BOX
63.185.06	63.186.06	6	10
63.185.08	63.186.08	8	10
63.185.10	63.186.10	10	10



# **Bungee hook**



Size 5 mm, wide hook. Specially suited for fastening dinghy covers to the stringer.

Code	ORDER BY BOX
63.177.00	20

# Nylon hook





Fitted with automatic snap-on mounting for shock cord.

	The a management of the annual street of the			
Code	For elastic band	ORDER BY BOX		
63.050.80	size 5/6 mm	20		
63.080.19	size 8 mm	20		

# Quick nylon bungee fitting

Suitable for locking shock cords sizes of 4/5/6 mm into various lengths; used as sail tie or other purposes; similar to "Clamcleats".

Code	Version	ORDER BY BOX
63.175.00	4/5/6-mm mounting system only	20
63,175,08	8-mm mounting system only	20
63.737.05	Fitted with 55 cm of 5-mm cable	10
63.737.06	Fitted with 75 cm of 6-mm cable	10



# Bungee sail ties with nylon hook



Code	Cable length cm	Cable Ø mm	ORDER BY BOX
63.550.20	20	4	10
63.550.35	35	4	10
63.550.55	55	4	10

# Bungee sail tie with plastic ball ends



Code	Length cm	Elastic Ø mm	ORDER BY BOX
63.570.00	30	4	10
63.572.00	40	4	10
63.574.00	50	4	10
63.576.00	60	4	10

# Bungee sail tie with nylon toggle



Code	Length cm	Ø mm	ORDER BY BOX
63.530.00	35	6	10
63.532.00	55	6	10
63.538.00	75	6	10

# Bungee / hook sail ties in stainless or nylon

Shock cord made of para rubber, coated with nylon.

Cable with		Size	Ø	
hook stainles steel	hook nylon	cm	mm	
				ORDER BY BOX
-	63.500.00	20	4	bag size 20
63.502.10	63.502.00	30	6	bag size 20
63.508.10	63.508.00	50	8	bag size 20
63.514.10	-	80	10	bag size 20
63.516.10	63.516.00	100	10	bag size 20



# Centipede series sail ties

Fitted with **nylon** toggles and **stainless steel** terminal hooks.

Code	Length cm	Cable Ø mm	For boats m	Arms
63.556.00	200	8	5/7	6
63.558.00	300	8	8/10	6
63.559.00	300	10	11/12	6



# **OSCULATI**







#### Sail ties

Made of UV-resistant polyester, with adjustable nylon snap buckle. 4-pcs kit.

Code	Kit contains	Width mm
63.568.01	2 x 180-cm long white/red straps + 2 x 240-cm long white/blue straps	25








# Nylon rope holder

Fitted with snap-on hook, wall mounting with 4 screws.

Code	Base mm	Passing mm	Capacity
63,601,00	57x94	60	15 m of rope Ø mm 10

# **Fixing straps**




# Straps made with coloured polyester and fitted with buckle

UV resistant, fitted with quick release **Zama** buckle; suitable for fastening surf boards, dinghies, luggage, etc.

Code	Length cm	Width mm
63.240.25	250	25
63.324.40	400	25









#### Straps made of coloured polyester, fitted with hooks and ratchet

UV resistant, fitted with terminal hooks made of **zinc plated steel and fitted with pawl** intermediate, made of **zinc plated steel** and painted to add a nice look to the straps; suitable for fastening boats to the top of the car or to trailers using bow and stern hooks.

Code	Length cm	Width mm	Breaking load kg	Adjustable cm
63.250.12	200	25	500	60/200
63.250.40	400	25	500	60/400
63.250.60	600	25	500	60/600
63.251.65*	515	38	2000	120/515

<sup>\*</sup> Especially suitable for heavy hulls or where a greater strap support is required. **Oversized** pawl and hooks.



# Highly-resistant polyester coloured straps

**AISI 304** 

Suitable for fastening boats on trailers, life rafts, dinghies on the deck or on the platform, etc. The **only ones** in the market with a **ratchet and polished stainless steel mounting hooks.** 

Code	Series mm	Jack and hooks	Length cm	Breaking load kg	Adjustable cm
63,252,01	25	high resistance	250	900	60/250
63.252.02	25	high resistance	400	900	60/400
63.252.03	25	high resistance	600	900	60/600
63.253.02*	38	Heavy Duty	700	1300	120/700

<sup>\*</sup> Professional